



Montageanleitung 79894


- (GB) Mounting Instructions 445...
- (F) Notice de Montage 446...
- (E) Instrucciones de Montaje
- (I) Istruzione per l'Installazione
- (P) Instrucoes de montagem
- (NL) Montage Voorschrift
- (DK) Monteringsvejledning
- (S) Montageanvisning
- (FIN) Asennusohje
- (N) Montasjeveiledning
- (PL) Instrukcja montażu



445...
max. 3,4 kg



446...
max. 4,6 kg




IP 65      

230-240 V 0/50-60Hz AC/DC


LED

NORKA

A




B



91-12-000273-01 A/ 79894


NORKA

C




1


2




2





3



D





2



2
1Nm

1



m 1500	1551	890±40	1220±80
m 1200	1251	590±40	920±80
m 600	641	80-20	310±30
Ausführung	L ±2 [mm]	a [mm]	a1 [mm]

1x m600	P [W]	Φ [lm]
	9	800
	10	900
	11	950
	11	1000
	12	1100
	13	1150
	14	1200
Standard →	15	1300

1x m1200	P [W]	Φ [lm]
Standard →	29	3300
	32	3600
	35	3800
	38	4100
	41	4400
	44	4700
	47	4900
	49	5200
	51	5300

1x m1500	P [W]	Φ [lm]
	36	4100
	39	4500
Standard →	43	4800
	47	5100
	50	5500
	54	5800
	58	6200
	61	6500
	63	6700

2x m600	P [W]	Φ [lm]
Standard →	16	1700
	17	1800
	19	1900
	20	2100
	22	2200
	23	2300
	25	2500
	26	2600
	27	2700

2x m1200	P [W]	Φ [lm]
Standard →	58	6600
	64	7200
	70	7600
	76	8200
	82	8800
	88	9400
	94	9800
	98	10400
	102	10600

2x m1500	P [W]	Φ [lm]
	72	8200
	78	9000
Standard →	86	9600
	94	10200
	100	11000
	108	11600
	116	12400
	122	13000
	126	13400

NORKA

Norddeutsche Kunststoff-
und Elektrogesellschaft
Stäcker mbH & Co. KG

Lichttechnische Spezialfabrik

Kontakt
Sportallee 8
D-22335 Hamburg
Germany

Tel.: +49 40 513009-0
Fax: +49 40 513009-28

info@norka.de
www.norka.de